Basic Imagery Interpretation Report



NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

25X1


KOSTROMA SAM COMPLEX DO4-5

25X1

DEPLOYED AAA/SAM FACILITIES
USSR
OCTOBER 1968

COPY NO. 104

7...PAGES
GROUP 1: EXCLUDED FROM
AUTOMATIC DOWNGRADING
AND DECLASSIFICATION



	_					
INSTALLATION OR ACTIVITY Kostroma SAM	NAME I Complex D04-5				COUNTRY	
UTM COORDINATES	GEOGRAPHIC COORDINATES 58-13-23N 041-38-36E				<u> </u>	
AAA D DECEDENCE	200, Sheet M0154-14HL	, 4th ed, May 66,	Scale 1:	200,000 (SEC	RET	
LATEST IMAGERY USED			ATE (If required)		-	
northern perition of fire, Prelimina on photograp sites designat dling facilities stage of cons the exception be installed. is considered The SA-5 SA-2 site was complex, but	sAM Complex D04- iphery of the western of the Kostroma complex ory construction activity only of ted A, B, and C; a trace; and an associated struction. All operation of Launch Site B, will to have a limited operation complex has been complex has been complex as maintained in an an with the operational cans of deactivation.	USSR. The nor plex is designed ty for the Kostral At present, acking and guida air warning ranal components a here the missile ational capability onstructed adjace operational sta	thern of to count oma SA the commance facing the commance facing the contract of the count of th	orientation, on ter an attaction att	or preferred dik from the nowas first obserts of three laut and missile-lemplex is in a lly complete a rails have year the com	rec- rth. ved nch nan- late with et to plex This SA-5
Kostroma, has secured compand missile-harman The SA-5 forms part of USSR. This law turessaare-Table 1.	a SAM Complex D04- as an orientation of plex consists of three andling facilities, and a complex, which is loc of the SA-5 barrier of line of SA-5 complexed allinn region east to a complex indicates the same co	and in the vicing the state of the vicing th	5 nauti is 450 fe racking warning nity of the north the 60t ains. The	eet above me and guidanc gradar facili the Kostrom hern periphe th parallel, e ne northern	ean sea level. te facility, sup ty. ta ICBM Comp try of the wes xtending from orientation of	The port lex, tern the the
		ASIC DESCRIPT				
of construction plex is consistent adjactive status during capabilities of deactivation. the SA-2 laun Activity is	ational components of on. As an SA-5 missile idered to have a limit acent to Kostroma SAI g most of the constru- of the SA-5 complex All launchers, missile	the Kostroma ce was observed a ted operational come Site B05-2, who were the Site are apparent, hes, and the FAN	omplex at the contact the cont	omplex in y. The composer maintained plex. Now the SA-2 standar have be	the olex has been in an operationat the operationat the shows sign een removed	com con ona ona s o
Launch Area						
2- to 3-month similar, each	nch area consists of t h lag in construction consisting of six rev control center. A cabl	activity at Lau etted launch pos	nch Site sitions (e B, the throdesignated .	ee launch sites L-6) and a reve	s ar ette
spective laun	ch site control center.					
spective laun			sic Repor	t with the con	currence of DIA	AP-9.
spective laun	ch site control center.		sic Repor	t with the con	currence of DIAA	AP-9

Approved For Release 2007/02/09 : CIA-RDP78T04563A000100010056-1

25X1

25X1

25X1




FIGURE 1. LOCATION OF KOSTROMA SAM COMPLEX D04-5, USSR.

Similar revetments at each launch site offer protection from flying debris during a a launching. Launch Positions 1 and 6 at each site have a revetment, measuring an average of long, immediately behind the launch point. A linear revetment is located just inside, and parallel to, the launch site service road at Positions 1, 2, 5, and 6. The launch point at Positions 2, 3, 4, and 5 at each site has an arc-shaped revetment, and a short linear revetment is behind the missile-ready building at Positions 3 and 4. The launch site control centers each have two parallel linear revetments with two electronic vans and a generator or converter between the revetments. A building, high, and two small structures are near each launch site control center.

Launch Site A

Dollies are visible only at Position 5, where the missile-ready building is still under construction, but they probably are also present at the other launch positions, inside the buildings. Launchers are emplaced at Positions 1, 2, and 3.

Launch Site B

Rails have not been installed, but launchers are observed at all six launch points. The only evidence of construction of missile-ready buildings is the framework at Positions 1 and 6 and piles of construction materials at Positions 2 and 3. In all other respects the site appears to be completed.

Launch Site C

Launch Site C is fully equipped and complete in every detail except for a modification in progress at the launch site control center, where a building is being constructed between the parallel revetments for housing the electronic equipment. If the same pattern is followed here as observed at other SA-5 complexes, this building will be earth covered upon completion. This type of modification was first observed on photography of at Liepaja SAM Complex A07-5 and is presumably an attempt to enhance the operational capabilities of the equipment in a tactical situation.

A circular ground scar observed near the launch site control center, similar to those seen at several other SA-5 complexes, is probably a circular buried tank, possibly used to store fuel for the generator or converter.

> 25X1 25X1 TOP SECRET

- 2 -

25X1

For Release 200

Tracking and Guidance Facility

A cable or conduit extends from each launch site to its respective radar position in the tracking and guidance facility, and each of the three radar positions is connected by cable to the tracking and guidance control center. Each radar position is mounded and is occupied by an engagement radar. Each radar mound has an L-shaped equipment revetment at its base, and an arch-roofed building has been constructed in the revetment at Position "a" (Figure 2). No electronic support equipment is visible at Position "a", but there may be vans inside the building. An electronic van and a generator or converter are noted in the equipment revetment at Position "b", and four radar transport vans are observed in a clearing a short distance away. Two electronic vans and a generator or converter are in the equipment revetment at Position "c", and a building is under construction nearby for housing the radar transport vans. The control center is protected by a C-shaped revetment, faced by a 260-foot linear revetment. An arch-roofed building, four electronic vans, and two generators or converters are within the revetment.

Midway between the tracking and guidance facility and Launch Site C is an area of unidentified activity, consisting of a secured area, containing a smaff^{X1} building and an earthen bunker. This closely resembles activity noted in corresponding areas at Pereslavl-Zalesskiy SAM Complex A29-5 and Kalinin SAM Complex B19-5. At these complexes this facility is connected by trench to the three launch sites, and at Kalinin the bunker is also cable connected to the tracking and guidance facility and the launch area. At this juncture, at the Kostroma complex no trenches or cables connect this area with the other components of the launch complex; however, its additional security, location, size, and overall appearance suggest the possibility of a complex command center, as observed at the Kalinin and Pereslavl-Zalesskiy complexes.

Missile-Handling Facility

The missile-handling facility, directly north of Launch Site B, is used for receiving, checkout, assembly, storage, and fueling of missiles. Two drive-through buildings are along the west road of the facility. One of them, which has nine vans adjacent to it, is probably the checkout building. The other building is probably used for assembly and checkout. West of the latter building is a revetment used for booster, warhead, and fuse storage. Two large tanks and three structures are between the two drive-through buildings. In _________ 21 missile shipping canisters are observed between the two drive-through buildings, 17 fin crates are stacked in a row near the assembly building, and an unassembled SA-5 missile is on an assembly dolly midway between the two drive-through buildings. The propellant storage facility, located along the east road of the missile-handling facility, consists of two separate areas, each containing three horizontal tanks. A road extends east from the propellant storage facility to a missile storage building.


Support Facility

The support facility for the SA-5 complex has been constructed adjacent to the previously existing SA-2 support buildings. Since work was initiated on the SA-5 complex, 15 buildings and structures have been newly constructed. Among these are a security building, a batch plant, a heatplant, two barracks-type buildings, a messhall, five unidentified buildings, and four small structures. Seventeen small squad tents have also been set up in this area. A motor pool containing 31 vehicles and pieces of equipment is located east of the batch plant.

Air Warning Radar Facility

The associated air warning radar facility (Figure 3) is 4.2 nm south of the SA-5 complex, on the outskirts of the town of Susanino. The facility consists of four radar mounds, two occupied by BACK NET radars and two by SIDE NET radars. Fourteen electronic support vans are centrally located between the radar mounds. Two buildings, one with an arched roof, are in the facility, and an additional arch-roofed building is under construction. A group of 15 small squad tents are also set up in the facility.

Approved For Release 2007/02/09 : CIA-RDP78T04563A000100010056-1



25X1

25X1

Approved For Release 2007/02/09 : CIA-RDP78T04563A000100010056-1
TOP SECRET RCA-04/0019/69^{25X1}
25X1


Item	Description	Roof Type	Dimensions (ft)*
1	Bldg	Arched	
2	Bldg u/c	Flat	
3	Missile-ready bldg (12)	Gabled	
4	Bldg (3)	Gabled	
5	Batch plant	Gabried 	
6	Bldg	Gabled/flat	
7	Heatplant	Flat	
8	Security bldg	Flat	
9	Bldg	Gabled	
10	Structure	Gabled	
11	Barracks		
12	Barracks	Gabled	
13		Gabled	
-	Structure	Gabled	
14	\mathbf{Bldg}	Flat	
15	Messhall	Flat	
16	$_{ m Bldg}$	Flat	
17	\mathbf{Bldg}	Gabled	
18	Structure	Gabled	
19	Structure	Shed	
20	\mathbf{Bldg}	Gabled	
21	\mathbf{Bldg}	Flat	
22	Structure	Gabled	
23	Bldg	Hipped	
24	Structure	Gabled	
25	Structure	Gabled	
26	Bldg	Hipped	
27	Structure	Gabled	
28	Structure	Gabled	
29	\mathbf{Bldg}	Hipped	
30	Bldg	Gabled	
31	Bldg	Flat	
32	Bldg	Flat	
33	Missile-hold bldg	Flat	
34	Missile storage bldg	Flat	
35	3 propellant storage	rat	
00	tanks		
36	3 propellant storage		
00	tanks		
37		Flat	
38	Missile checkout bldg	Flat	
00	Missile assembly and	F21 . 4	
9.0	checkout bldg	Flat	
39	Bldg	Flat	
40	Bunker	~-	

Item	Distance in Feet* (Center to center)	Item	Distance in Feet* (Center to center)		
Site A are also	ing measurements given for Launch representative of the distance be- sponding points in Launch Sites B	A1 - A2 A2 - A3 A3 - A4 A4 - A5 A5 - A6 A6 - A1 A1 - A A2 - A A3 - A A4 - A A5 - A		25X´	

- 5 -

TOP SECRET

25X1 25X1



Approved For Release 2007/02/09 : CIA-RDP78T04563A000100010056-1 **TOP SECRET**

TOP SECRET